Canon

imageCLASS LBP228dw

ImageCLASS

imageCLASS LBP228dw

Black and White | Compact | Printer

Print up to 40 ppm

Print up to 8-1/2" x 14"

900-sheet maximum paper capacity

Supports uniFLOW and uniFLOW Online

Designed for small workgroups within an enterprise environment, the Canon imageCLASS LBP228dw printer balances speedy performance, minimal maintenance, and the ability to add an extra paper tray for busy groups. A 5" colour touchscreen delivers an intuitive user experience and can be customized by a device administrator to simplify many daily tasks.



WORKFLOW EFFICIENCY

- 5" intuitive, colour touchscreen with smartphone-like usability.
- A unique, customized device experience with Application Library.
- Supports various mobile printing solutions.¹
- Designed for small print jobs with firstprint-out time as fast as 5.3 seconds.
- Out-of-the-box, standard two-sided printing helps to reduce paper consumption.



SECURITY

- Low risk of confidential information loss, since documents are only stored in short-term memory.
- With imageWARE Enterprise Management Console Device Configuration Manager Plug-in, security settings can be captured and exported to other devices on the same network.²
- Remotely control device access and set rules via optional uniFLOW or uniFLOW Online.
- Verify System at Startup is a process to help verify the validity of the device firmware and Application Library from unauthorized modifications.



COST MANAGEMENT

Canon

and a

- Leverage optional uniFLOW or uniFLOW Online for full accounting and reporting for Canon and third-party devices, pull printing, and job routing.
- Service parts are designed for machine's life cycle to help minimize need for proactive maintenance and potentially reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard two-sided printing plus the ability to print multiple pages onto one sheet helps to reduce paper consumption.



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.
- Intuitive maintenance videos for common tasks like consumables replacement.



- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourage environmentally conscious work practices by providing multiple settings that can help save paper and energy.
- ENERGY STAR* certified and currently rated EPEAT* Silver.³



MANAGE OUTPUT WITH uniFLOW

The optional uniFLOW portfolio offers an on-premise or cloud solution that imageCLASS devices can utilize with flexible authentication. With either card-based or PIN code-based authentication, imageCLASS devices can help secure output management, track costs with reporting, and operate mobile printing.



FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote software allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.



EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Consumables Information, and Language.



SPECIFICATIONS

Main Unit **Core Functions** Standard: Print Processor Canon Custom Processor Control Panel 5" Colour Touch Panel Memory 1 GB Standard Interface Connection USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi® Direct Connection Paper Capacity (Letter, 20 lb. Bond) Standard: 350 Sheets 900 Sheets Maximum: Paper Sources (Letter, 20 lb. Bond) 250-sheet Paper Cassette, 100-sheet Standard: 550-sheet Paper Cassette Optional: (Cassette Unit-AH1) Paper Output Capacity (Letter, 20 lb. Bond) Standard: 65 Sheets Supported Media Types Cassettes: Thin, Plain, Recycled, Thick, Bond Multipurpose Thin, Plain, Recycled, Thick, Bond, Tray: Label, Envelope (10 Envelopes) Supported Media Sizes Cassettes: Letter, Legal, Statement, Executive Custom (Min. 4.1" x 5.8" to Max. 8.5" x 14") Multipurpose Letter, Legal, Statement, Executive Envelope: COM10, Monarch, C5, DL Tray: Custom (Min. 3" x 5" to Max. 8.5" x 14") Supported Media Weights 16 lb. Bond to 32 lb. Bond Cassettes: (60 to 120 g/m2) Multipurpose 16 lb. Bond to 43 lb. Bond Tray: (60 to 163 g/m2) Warm-up Time From Power 14 Seconds or Less On: From Sleep 4 Seconds or Less Mode: Dimensions (W x D x H) 17.3" x 14.7" x 12.3" Standard (Desktop): (438 mm x 373 mm x 312 mm) Installation Space (W x D x H) 17.3" x 34.4" x 12.3" Standard (Desktop): (438 mm x 874 mm x 312 mm) Fully 17.3" x 34.4" x 17.4" Configured: (438 mm x 874 mm x 443 mm) Weight⁴ Machine Only: Approx. 20.3 lb. (9.2 kg) Boxed Weight: Approx. 28.7 lb. (13.0 kg) **Operating System** UFR II/PCL/PS: Windows® 7/Windows 8.1/ Windows 10/Windows Server 2008/Windows Server 2008 R2/Windows Server 2012/Windows

Server 2012 R2/Windows Server 2016/Mac OS X

v10.9.5 (or later)

Print Specifications

Printing Method Laser Beam Printing Print Speed⁵ Up to 40 ppm (Letter); Up to 32 ppm (Legal) First-Print-Out Time Approx. 5.3 Seconds **Recommended Monthly Page Volume** 750 - 4,000 Pages Print Resolution (dpi) 600 x 600 Standard Page Description Languages UFR II, PCL°6, PCL°5, Adobe PostScript 3° **Double-Sided Printing** Automatic (Standard) **Direct Print** Available from USB Memory (JPEG, TIFF, PDF) Printing from Mobile and Cloud-based Services⁶ Apple® AirPrint,® Canon PRINT Business, Mopria™ Print Service, Google Cloud Print,™6 uniFLOW Secure Mobile Printing Fonts PCL: 93 Fonts PS: 136 Fonts **Print Features** Secure Print, Page Border, Header/Footer, Page Layout, Two-sided printing, Collating, Booklet Printing, Grouping, Mixed Paper Sizes/Orientations

Security Specifications

Authentication	
Standard:	Embedded Universal Login Manager,
	Department ID Authentication
Optional:	uniFLOW, uniFLOW Online
Data	
Standard:	Verify System at Startup
Network	
Standard:	IP/MAC Address Filtering, IPSEC, TLS
	Encrypted Communication, SNMP
	V3.0, IEEE 802.1X, IPv6
Document	
Standard:	Secure Print
Wi-Fi Authentication Methods	
Wi-Fi	
Infrastruct	ure WEP 64/128 bit, WPA-PSK (TKIP/
Mode:	AES), WPA2-PSK (AES)
Wi-Fi Acces	55
Point:	WPA2-PSK (AES)

Environmental Specifications

Operating Environment

Temperature:50 to 86° FHumidity:20 to 80% RH (no condensation)

Power Requirements AC 120-127 V:6.5 A, 60 Hz


Power Consumption

Maximum:Approx. 1300 WStandby:Approx. 8.5 WSleep Mode:Approx. 0.9 WTypical1.0 kWhElectricityConsumption(TEC) Rating:Standards

ENERGY STAR[®] Qualified, Currently Rated

EPEAT Silver3

CONFIGURATION AND ACCESSORIES



¹ Canon PRINT Business is a free app available on the App Store^{*} and Google Play[™] Store. For more information, including compatibility, please visit canon.ca/en/products/Software-Solutions/Mobile-Apps Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.

² Please reference user manuals for details on settings available to export. ³ For latest EPEAT ratings (Gold/Silver/Bronze), please visit epeat.net.

⁴ Includes consumables.

⁵ Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
⁶ Subscription to a third-party cloud service required. Subject to third-party cloud service providers' terms and conditions.

⁷ Warranty program is subject to certain conditions and restrictions. See warranty card for details.



Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android, Google Play and Google Cloud Print are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Apple Inc. Morn the Morn Inc. Morn the Gold endemarks and/or other countries. As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, through an EPA recognized centrication body. EXERCITISTAN and the EXERCITISTAN mark are registered 0.3. Marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified coursel determine the feasibility of a solution exit selator to convict and the customers in the their softmerced acadute to even and exits are the feasibility of a solution. as it relates to regulatory and statutory compliance. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors. Canon is a registered trademark of Canon Inc. ©2019 Canon Canada Inc. All rights reserved.





0218W363 0819-iC228-1M-PFIH